



Est 1990

Handrail

Available in length to fit panels with the width 1000 mm and 1500 mm. For other widths of panels, the handrail needs to be adjusted in length by being cut in place during assembly. Brackets for placement in keyholes are a standard default but if free placement is needed there is a separated article number.

The standard colour is RAL 9011 (only available in this color).



Models

ARTICLES / DESCRIPTION



G2528-107-3
Handrail L=1070 mm, RAL 9011



G2528-157-3
Handrail L=1570 mm, RAL 9011



B00-059
Handrail fittings with selfdrilling screw, 1 KIT



B00-060
Handrail fittings with rivet, 1 KIT



G2529
Handrail inner corner (with support arm), RAL 9011



G2530
Handrail outer corner, RAL 9011



B00-103
Handrail end, RAL9011

Related products



X-RAIL FALL PROTECTION HEIGHT 1400 MM

Height 1400 mm with panel

Our X-Rail fall protection system can be used as an edge protection for mezzanine floors. The system is a modification of our X-Guard range and therefore the system can fill dual purposes, mezzanin...

14 articles



X-RAIL FALL PROTECTION HEIGHT 1400 MM

Height 1400 mm without panel

Our X-Rail fall protection system can be used as an edge protection for mezzanine floors. The system is a modification of our X-Guard range and therefore the system can fill dual purposes, mezzanin...

1 articles



X-RAIL FALL PROTECTION HEIGHT 2300 MM

Height 2300 mm with panel

Our X-Rail fall protection system can be used as an edge protection for mezzanine floors. The system is a modification of our X-Guard range and therefore the system can fill dual purposes, mezzanin...

25 articles



X-RAIL FALL PROTECTION HEIGHT 2300 MM

Height 2300 mm without panel

Our X-Rail fall protection system can be used as an edge protection for mezzanine floors. The system is a modification of our X-Guard range and therefore the system can fill dual purposes, mezzanin...

1 articles