




Sheet metal panel with window

Our sheet metal panels with integrated windows combine robust safety features with clear process visibility, meeting the safety standard EN ISO 25980:2014. Available in three widths they integrate seamlessly into existing X-Guard systems, enhancing both protection and operational efficiency.









Enhance safety and operational efficiency in your automation facilities with our X-Guard sheet metal panels featuring integrated windows.

These panels provide robust protection against industrial hazards while allowing clear process monitoring, ensuring both safety and productivity. The windows are available in clear or colored plastic; the colored variant complies with EN ISO 25980:2014 standards, effectively guarding against welding flashes.

Constructed from 0.8 mm thick sheet metal with a 30x20 mm frame and factory-fixed brackets, these panels are designed for durability and straightforward assembly. Standard panel heights are 2200 mm and standard panel color is black (RAL 9011), with customized colors offered upon request.

Compatible with existing X-Guard posts and door packages, these panels ensure seamless integration into your current safety systems. For optimal installation, we recommend using the included cover strip to eliminate gaps between the panel and post.

Models

ARTICLES / DESCRIPTION		WIDTH (MM)	HEIGHT (MM)	COLOR
	W340-220080 Transparent	800	2200	Graphite Black (RAL 9011)
	W340-220100 Transparent	1000	2200	Graphite Black (RAL 9011)
	W340-220120 Transparent	1200	2200	Graphite Black (RAL 9011)
	W347-220080 Welding Green	800	2200	Graphite Black (RAL 9011)
	W347-220100 Welding Green	1000	2200	Graphite Black (RAL 9011)
	W347-220120 Welding Green	1200	2200	Graphite Black (RAL 9011)

Related products



ACCESSORIES

Infill sheet metal fixed/adjustable

The X-Guard infill sheet metal is a practical solution for filling gaps in machine guarding panels. Available in fixed (40 and 70 mm) or adjustable (40–145 mm) widths, it ensures a secure and seaml...

13 articles



ACCESSORIES

Cover strip

A cover strip is available which can be used to cover gaps between posts and panels. It comes in heights of 750, 1900 and 2200 mm. Cover strips in black (RAL 9011) are included in the delivery of s...

2 articles

