

Axellent

Product information

» X-Guard® Product sheet

PRODUCT FACTS

Safety distance	120, 200 mm
Uprights	30x20 mm
Horizontals	25x15 mm
Posts	50x50, 50x100, 70x70 100x100 mm
Vertical wires	Ø 3 mm
Horizontal wires	Ø 2.5 mm
Mesh apertures	cc 51 x21, 51 x31 mm
Finish	Phosphatising/Epoxy paint
Colour mesh panels	Black RAL 9011
Colour post	Yellow RAL 1018, Black RAL 9011*, Blue RAL 5005*, Red RAL 3020*

Other colours can be quoted. (* Only on standard post, 50x50 mm)

MESH PANELS (MESH 50 X 20 MM)

Art. no.	Height (mm)	Width (mm)
Black (RAL 9011)		
W321-220025	2200	0250
W321-220040	2200	0400
W321-220070	2200	0700
W321-220100	2200	1000
W321-220120	2200	1200
W321-220150	2200	1500

(N.B! 1 week delivery time on the articles W321-220XXX.
Fixings are included with all W321- panels)

MESH PANELS (MESH 50 X 30 MM)

Art. no.	Height (mm)	Width (mm)	Art. no.	Height (mm)	Width (mm)
Black (RAL 9011)			Black (RAL 9011)		
W322-075025	0750	0250	W322-130025	1300	0250
W322-075040	0750	0400	W322-130040	1300	0400
W322-075050	0750	0500	W322-130050	1300	0500
W322-075060	0750	0600	W322-130060	1300	0600
W322-075070	0750	0700	W322-130070	1300	0700
W322-075080	0750	0800	W322-130080	1300	0800
W322-075090	0750	0900	W322-130090	1300	0900
W322-075100	0750	1000	W322-130100	1300	1000
W322-075110	0750	1100	W322-130110	1300	1100
W322-075120	0750	1200	W322-130120	1300	1200
W322-075130	0750	1300	W322-130130	1300	1300
W322-075140	0750	1400	W322-130140	1300	1400
W322-075150	0750	1500	W322-130150	1300	1500
W322-190025	1900	0250	W322-220025	2200	0250
W322-190040	1900	0400	W322-220040	2200	0400
W322-190050	1900	0500	W322-220050	2200	0500
W322-190060	1900	0600	W322-220060	2200	0600
W322-190070	1900	0700	W322-220070	2200	0700
W322-190080	1900	0800	W322-220080	2200	0800
W322-190090	1900	0900	W322-220090	2200	0900
W322-190100	1900	1000	W322-220100	2200	1000
W322-190110	1900	1100	W322-220110	2200	1100
W322-190120	1900	1200	W322-220120	2200	1200
W322-190130	1900	1300	W322-220130	2200	1300
W322-190140	1900	1400	W322-220140	2200	1400
W322-190150	1900	1500	W322-220150	2200	1500

(Fixings are included with all W322- panels)

MESH PANELS X-GUARD CONTOUR (MESH 50 X 30 MM)

Art. no.	Height (mm)	Angle (degrees)	Art. no.	Height (mm)	Angle (degrees)
Black (RAL 9011), rounded			Black (RAL 9011), rounded		
W32R45-130	1300	45	W32R90-130	1300	90
W32R45-190	1900	45	W32R90-190	1900	90
W32R45-220	2200	45	W32R90-220	2200	90

(Fixings are included with all W32R- panels)

Axelent

Product information

» X-Guard® Product sheet

POSTS



Art. no.	Gap to floor (mm)	Height (mm)
Standard 50 x 50 mm, Yellow (RAL 1018), Black (RAL 9011), Blue (RAL 5005) Red (RAL 3020)		
P11-140 (RAL 1018)	100	1400
P21-140 (RAL 5005)	100	1400
P31-140 (RAL 9011)	100	1400
P71-140 (RAL 3020)	100	1400
P11-200 (RAL 1018)	100	2000
P21-200 (RAL 5005)	100	2000
P31-200 (RAL 9011)	100	2000
P71-200 (RAL 3020)	100	2000
P11-230 (RAL 1018)	100	2300
P21-230 (RAL 5005)	100	2300
P31-230 (RAL 9011)	100	2300
P71-230 (RAL 3020)	100	2300
Standard 50 x 50 mm, Yellow (RAL 1018)		
P11-150	200	1500
Premium 70 x 70 mm, Yellow (RAL 1018)		
P13-140	100	1400
P13-200	100	2000
P13-230	100	2300
Extension 50 x 50 mm, Yellow (RAL 1018), Black (RAL 9011), Blue (RAL 5005), Red (RAL 3020)		
E11-075, E11-075B (RAL 1018)		0750
E21-075, E21-075B (RAL 5005)		0750
E31-075, E31-075B (RAL 9011)		0750
E71-075, E71-075B (RAL 3020)		0750
Extension Premium 70 x 70 mm, Yellow (RAL 1018)		
E13-075		0750
E13-130		1300
E13-190		1900
E13-220		2200

Axellent

Product information

» X-Guard® Product sheet

LOCKS/SAFETY

Art. no.	Description
L10-00-0	Padlock for hinge door, right/left
L20-00-0	Padlock for sliding door, right/left
L22-00-0	Padlock for sliding door with centre lock
L10-05-0	Snap lock for hinge door, right/left
L20-05-0	Snap lock for sliding door, right/left
L22-05-0	Snap lock for sliding door with centre lock
L10-05-2	Hitch lock for hinge doors right/left
L20-05-2	Hitch lock for sliding doors right/left
L10-05-3	Cylinder lock, option for the handle to the hitch lock (1 each)
L66-10-0	Cylinder lock for all doors, right/left
L66-15-0	Panic lock, cylinder lock for all doors, right/left
L66-20-L	X-Lock for all doors, left
L66-20-R	X-Lock for all doors, right
L66-21-L	X-Lock for all doors, left,for switch B-614
L66-21-R	X-Lock for all doors, right,for switch B-614
T10-01	Complete fittings for switch and key, hinge door, right/left
T10-02	Complete fittings for switch and key, sliding door, right/left
T10-11	Complete fittings for non-contact switch, diam.18mm, hinge door
T10-12	Complete fittings for switch and key, hinge doors, right/left, Euchner
T10-13	Switch fitting hinge door, universal, non-contact
T10-20	Complete fittings for switch and key, sliding doors, right/left
T10-21	Complete fittings for non-contact switch, diam.18mm, sliding door
T10-30	Fittings, Euchner MGB hingedor/slidingdoor, right/left
T10-32	Fittings, Schmersal AZM200 hingedor/slidingdoor, right/left
T10-33	Fittings, Euchner MGB Profinet Box hingedor, right/left
T10-34	Fittings, Euchner MGB Profinet Box slidingdoor, right/left
10-9540	Eurocylinder, DIN 18254, class 3
10-9545	Eurocylinder, DIN 18254, in system
10-9550	Eurocylinder (half), DIN V 18254

Axellent Product information

» X-Guard® Product sheet

DOORS (50X50 POSTS)

Art. no.	Height (mm)	Max width (mm)	Description
D10-XXX150A	Max 2300	1500	Single hinge door with top frame
D10-XXX150B	Min 2300	1500	Single hinge door with top frame
D11-XXX150A	Max 2300	1500	Single hinge door without top frame
D11-XXX150B	Min 2300	1500	Single hinge door without top frame
D12-140300	1400	2 x 1500	Double hinge door
D12-200300	2000	2 x 1500	Double hinge door
D12-230300	2300	2 x 1500	Double hinge door
D20-XXX100A	Max 2300	1000	Single sliding door
D20-XXX100B	Min 2300	1000	Single sliding door
D20-XXX140A	Max 2300	1400	Single sliding door
D20-XXX140B	Min 2300	1400	Single sliding door
D20-XXX220A	Max 2300	2200	Single sliding door
D20-XXX220B	Min 2300	2200	Single sliding door
D20-XXX310A	Max 2300	3100	Single sliding door
D20-XXX310B	Min 2300	3100	Single sliding door
D20-XXX570A	Max 2300	5700	Single sliding door
D20-XXX570B	Min 2300	5700	Single sliding door
D22-XXX290A	Max 2300	2900	Sliding door with centre lock
D22-XXX290B	Min 2300	2900	Sliding door with centre lock
D22-XXX590A	Max 2300	5900	Sliding door with centre lock
D22-XXX590B	Min 2300	5900	Sliding door with centre lock
D23-200300R	Min 2000	2 x 1500	Double sliding door, right, with 2-step rail
D23-200300L	Min 2000	2 x 1500	Double sliding door, left, with 2-step rail
D23-230300R	Min 2300	2x1500	Double sliding door, right, with 2-step rail
D23-230300L	Min 2300	2 x 1500	Double sliding door, left, with 2-step rail
D23-200450R	Min 2000	3 x 1500	Triple sliding door, right, with 3-step rail
D23-200450L	Min 2000	3 x 1500	Triple sliding door, left, with 3-step rail
D23-230450R	Min 2300	3 x 1500	Triple sliding door, right, with 3-step rail
D23-230450L	Min 2300	3 x 1500	Triple sliding door, left, with 3-step rail
D24-200140	2000	2 x 1400	Double sliding door
D24-230140	2300	2 x 1400	Double sliding door
D24-200290	2000	2 x 2900	Double sliding door
D24-230290	2300	2 x 2900	Double sliding door
D26-XXX090	Max 2300	0900	Single sliding door without rail
D26-XXX140	Max 2300	1400	Single sliding door without rail
D27-XXX180	Max 2300	1800	Double sliding door without rail
D27-XXX280	Max 2300	2800	Double sliding door without rail
D28-140190L	1400	1900	Single sliding door without rail left
D28-140190R	1400	1900	Single sliding door without rail right
D28-140290L	1400	2900	Single sliding door without rail left
D28-140290R	1400	2900	Single sliding door without rail right
D28-200190L	2000	1900	Sliding door without rail left
D28-200190R	2000	1900	Sliding door without rail right
D28-200290L	2000	2900	Sliding door without rail left
D28-200290R	2000	2900	Sliding door without rail right
D28-230190L	2300	1900	Sliding door without rail left
D28-230190R	2300	1900	Sliding door without rail right
D28-230290L	2300	2900	Sliding door without rail left
D28-230290R	2300	2900	Sliding door without rail right
D29-XXX380	Max 2300	2x1900	Sliding door without rail, centre lock
D29-XXX480	Max 2300	2x1900+1900	Sliding door without rail, centre lock
D29-XXX580	Max 2300	2x2900	Sliding door without rail, centre lock

(Standard panels are used for doors)

Axellent

Product information

» X-Guard® Product sheet

DOORS (70X70 POSTS)

Art. no.	Height (mm)	Max width (mm)	Description
D30-XXX150A	2300	1500	Single hinge door, incl. top frame
D30-XXX150B	2300	1500	Single hinge door, incl. top frame
D32-200300	2000	Max 2x1500	Double hinge door
D32-230300	2300	Max 2x1500	Double hinge door
D32-275300	2755	Max 2x1500	Double hinge door
D32-305300	3055	Max 2x1500	Double hinge door
D40-XXX100A	Max 2300	1000	Single sliding door
D40-XXX100B	Min 2300	1000	Single sliding door
D40-XXX140A	Max 2300	1400	Single sliding door
D40-XXX140B	Min 2300	1400	Single sliding door
D40-XXX220A	Max 2300	2200	Single sliding door
D40-XXX220B	Min 2300	2200	Single sliding door
D40-XXX310A	Max 2300	3100	Single sliding door
D40-XXX310B	Min 2300	3100	Single sliding door
D40-XXX570A	Max 2300	5700	Single sliding door
D40-XXX570B	Min 2300	5700	Single sliding door
D42-XXX290A	Max 2300	2900	Sliding door with centre lock
D42-XXX290B	Min 2300	2900	Sliding door with centre lock
D42-XXX590A	Max 2300	5900	Sliding door with centre lock
D42-XXX590B	Min 2300	5900	Sliding door with centre lock
D43-200300L	2000	Max 2x1500	Sliding door, left with 2-step rail
D43-200300R	2000	Max 2x1500	Sliding door, right with 2-step rail
D43-200450L	2000	Max 3x1500	Sliding door, left with 3-step rail
D43-200450R	2000	Max 3x1500	Sliding door, right with 3-step rail
D43-230300L	2300	Max 2x1500	Sliding door, left with 2-step rail
D43-230300R	2300	Max 2x1500	Sliding door, right with 2-step rail
D43-230450L	2300	Max 3x1500	Sliding door, left with 3-step rail
D43-230450R	2300	Max 3x1500	Sliding door, right with 3-step rail
D44-200140	2000	Max 2x1400	Double sliding door overlapped
D44-200290	2000	Max 2x2900	Double sliding door overlapped
D44-230140	2300	Max 2x1400	Double sliding door overlapped
D44-230290	2300	Max 2x2900	Double sliding door overlapped
D46-XXX090	Max 2300	900	Sliding door without rail
D46-XXX140	Max 2300	1400	Sliding door without rail
D46-XXX290	Max 2300	2900	Sliding door without rail
D47-XXX580	Max 2300	2x2900	Sliding door without rail with centre lock

(Standard panels are used for doors)

Axellent Product information

» X-Guard® Product sheet

OTHER ACCESSORIES

Art. no.	Description
T00-00	X-Key
T00-01	Fittings for X-Guard, 1 pack
T00-02	Fittings for X-Guard, 1 pack, for 4 mm plastic panels
T00-03	Fittings for X-Guard, 1 pack, for 6 mm plastic panels
T00-04	Fittings for X-Guard, 1 pack, for horizontal panels
T00-05	Fittings for X-Guard, 1 pack, for horizontal panels different heights
T01-01	Fittings for creating corners up to 180°
T01-02	High impact protection for 50x50 mm post, 1 set/panel
T01-03	Special nut, for plastic cap on post, X-Guard, 10 pack
T01-04	Shim set, 2x2 mm + 1x6 mm, for post height adjustment X-Guard
T01-05	Special bracket when mounting 2 hinge doors in a corner
T01-06	Tube nut M8, 10 pack
T01-07	X-Cup holder
T01-08	Magnet
T01-09	Stabilization for contractor, Ral 9011
T01-10	High impact protection for 50 x 100 mm post, 1 set/panel
T01-11	Bolt upper panel bracket (zinc), not blocked, 10 pack
T01-13	Rubber plug for "keyhole" on X-Guard post (1set=36pcs)
T01-14	Shims set for 50x100, 2x2mm + 1x6mm, for post height adjustment X-Guard
T01-16	Foot cover for 50x50 post 5 kit (1 kit=2pcs)
T01-17	Top plug for 50x50 post (1 kit=5 pcs)
T01-21	Edge strip u-shaped, black rubber 30x26x15mm, 50m
T01-22	Bail handle c/c 150mm, set of 2 incl. mounting plates
T01-23	Support wheel incl. mounting plate. For floor gap 100mm, X-Guard
T02-3-07504	Infill sheet metal H= 0750 W= 40 mm, RAL 9011
T02-3-07507	Infill sheet metal H= 0750 W= 70 mm, RAL 9011
T02-3-13004	Infill sheet metal H= 1300 W= 40 mm, RAL 9011
T02-3-13007	Infill sheet metal H= 1300 W= 70 mm, RAL 9011
T02-3-19004	Infill sheet metal H= 1900 W= 40 mm, RAL 9011
T02-3-19007	Infill sheet metal H= 1900 W= 70 mm, RAL 9011
T02-3-22004	Infill sheet metal H= 2200 W= 40 mm, RAL 9011
T02-3-22007	Infill sheet metal H= 2200 W= 70 mm, RAL 9011
T03-3-190	Cover strip, gap panel/post H= 1900 mm, RAL 9011
T03-3-220	Cover strip, gap panel/post H= 2200 mm, RAL 9011
T04-3-075	Cover strip with clips H= 0750 mm, RAL 9011, 1 set/panel
T04-3-190	Cover strip with clips H= 1900 mm, RAL 9011, 1 set/panel
T04-3-220	Cover strip with clips H= 2200 mm, RAL 9011, 1 set/panel
T90-01	X-Guard Sample kit
K1-01	Kit for optional placing of quick fittings, 1 pack
K1-03	Kit for optional placing of quick fittings upper bracket X-Guard, 1 pack
KV-3-075	Cutting package vertical, H= 0750 mm, RAL 9011
KV-3-130	Cutting package vertical, H= 1300 mm, RAL 9011
KV-3-190	Cutting package vertical, H= 1900 mm, RAL 9011
KV-3-220	Cutting package vertical, H= 2200 mm, RAL 9011
KH-3-150	Cutting package horizontal, incl. fittings K1-01, W= 1500 mm, RAL 9011
KH-3-150B	Cutting package horizontal exkl. fittings K1-01, W= 1500 mm, RAL 9011
10-9841	Edge strip u-shaped, black rubber, 2 m
05-9501	Plastic plug 20x30 mm

Axellent Product information

» X-Guard® Product sheet

SHEET AND PLASTIC

Art. no.	Description
W328-190025	Plastic wallsection, H= 1900 W= 250 mm, 2 mm transparent plastic, RAL 9011
W328-190040	Plastic wallsection, H= 1900 W= 400 mm, 2 mm transparent plastic, RAL 9011
W328-190070	Plastic wallsection, H= 1900 W= 700 mm, 2 mm transparent plastic, RAL 9011
W328-190100	Plastic wallsection, H= 1900 W= 1000 mm, 2 mm transparent plastic, RAL 9011
W328-220025	Plastic wallsection, H= 2200 W= 250 mm, 2 mm transparent plastic, RAL 9011
W328-220040	Plastic wallsection, H= 2200 W= 400 mm, 2 mm transparent plastic, RAL 9011
W328-220070	Plastic wallsection, H= 2200 W= 700 mm, 2 mm transparent plastic, RAL 9011
W328-220100	Plastic wallsection, H= 2200 W= 1000 mm, 2 mm transparent plastic, RAL 9011
W428-220025	Plastic wallsection, H= 2200 W= 250 mm, 2 mm transparent plastic, RAL 9018
W428-220040	Plastic wallsection, H= 2200 W= 400 mm, 2 mm transparent plastic, RAL 9018
W428-220070	Plastic wallsection, H= 2200 W= 700 mm, 2 mm transparent plastic, RAL 9018
W428-220100	Plastic wallsection, H= 2200 W= 1000 mm, 2 mm transparent plastic, RAL 9018
W329-190025	Sheet metal wallsection 0,8 mm, H= 1900 W= 250 mm, RAL 9011
W329-190040	Sheet metal wallsection 0,8 mm, H= 1900 W= 400 mm, RAL 9011
W329-190070	Sheet metal wallsection 0,8 mm, H= 1900 W= 700 mm, RAL 9011
W329-190100	Sheet metal wallsection 0,8 mm, H= 1900 W= 1000 mm, RAL 9011
W329-220025	Sheet metal wallsection 0,8 mm, H= 2200 W= 250 mm, RAL 9011
W329-220040	Sheet metal wallsection 0,8 mm, H= 2200 W= 400 mm, RAL 9011
W329-220070	Sheet metal wallsection 0,8 mm, H= 2200 W= 700 mm, RAL 9011
W329-220100	Sheet metal wallsection 0,8 mm, H= 2200 W= 1000 mm, RAL 9011
W429-220025	Sheet metal wallsection 0,8 mm, H= 2200 W= 250 mm, RAL 9018
W429-220040	Sheet metal wallsection 0,8 mm, H= 2200 W= 400 mm, RAL 9018
W429-220070	Sheet metal wallsection 0,8 mm, H= 2200 W= 700 mm, RAL 9018
W429-220100	Sheet metal wallsection 0,8 mm, H= 2200 W= 1000 mm, RAL 9018
W330-190070	Sheet metal wallsection with window, H= 1900 W= 700 mm, RAL 9011
W330-190100	Sheet metal wallsection with window, H= 1900 W= 1000 mm, RAL 9011
W330-220070	Sheet metal wallsection with window, H= 2200 W= 700 mm, RAL 9011
W330-220100	Sheet metal wallsection with window, H= 2200 W= 1000 mm, RAL 9011
W331-190070	Sheet metal wallsection with window, W-green, H= 1900 W= 700 mm, RAL 9011
W331-190100	Sheet metal wallsection with window, W-green, H= 1900 W= 1000 mm, RAL 9011
W331-220070	Sheet metal wallsection with window, W-green, H= 2200 W= 700 mm, RAL 9011
W331-220100	Sheet metal wallsection with window, W-green, H= 2200 W= 1000 mm, RAL 9011

(Fixings are included with the panels)

N.B. For articles in other colours than standard (W528-, W529-, W530- and W531-), it is 4 weeks delivery time.